Unit 4 Review - Chemical Reactions

We will start with the easiest topic and work our way to the most complex.

Evidence of a Chemical Reaction – There are 6 pieces of evidence that can occur to let you know a reaction has occurred.

- Gas bubbles form
- A solid precipitate forms
- A change in energy to the system, it's endothermic or exothermic
- A permanent color change
- A permanent odor change
- Formation of water

Types of Reactions - You will need to be able to identify the 5 different types of chemical reactions on sight. It's fairly easy if you know what to look for within each type of reaction.

- Synthesis: You know that a reaction is synthesis when there is only **one product!** There cannot be 2 different substances on the product side of the reaction.
 - o Ex. 4 Fe (s) + 3 O₂ (g) \rightarrow 2 Fe₂O₃ (s)
- Decomposition: You know that a reaction is decomposition when there is only **one** reactant! There cannot be 2 different substances on the reactant side of the reaction.
 - o Ex. H_2CO_3 (aq) $\rightarrow CO_2$ (g) + H_2O (l)
- Single Replacement: You know that a reaction is single replacement when you see that **one element replaces another** in a reaction.
 - $Li(s) + Ca(NO₂)₂ (aq) \rightarrow Ca(s) + 2 LiNO₂ (aq)$
- Double Replacement: You know that a reaction is double- replacement when two ionic compounds switch ions with each other. The outer two ions go together and the inner two ions go together.
 - $BeCl_2(aq) + Ag_2SO_4(aq) \rightarrow BeSO_4(aq) + 2 AgCl(s)$ o Ex.
- Combustion: This is a very specific reaction. You know it's a combustion reactions if you have a hydrocarbon and oxygen gas as reactants and carbon dioxide gas and water vapor as products.
 - $C_4H_9OH(1) + 6O_2(g) \rightarrow 4CO_2(g) + 5H_2O(g)$ o Ex.

Try to identify these reactions. They are not balanced.

- 1. AlCl₃ + Na₂SO₄ → Al₂(SO₄)₃ + NaCl double- replacement
- 2. Zn + S₈ → ZnS synthesis 3. H₂SO₄ + Fe → H₂ + FeSO₄ single-replacement
- 4. $C_5H_{12} + O_2 \rightarrow H_2O + CO_2$ combustion
- 5. Al₂S₃ → Al + S₈ decomposition
- 6. Li₂CO₃ + MgCl₂ → LiCl + MgCO₃ double replacement
- 7. Fe + O₂ → FeO synthesis 8. Zn + HBr → H₂ + ZnBr₂ single-replacement
- 9. C₅H₁₀O₄ + O₂ → CO₂ + H₂O combustion
- 10. MgO → Mg + O2 decomposition

Law of Conservation of Mass -

11. What is the definition? Mass cannot be created or destroyed during a chemical reaction, just rearranged.

Balancing Chemical Equations – the goal of balancing is to satisfy the Law of Conservation of Mass. You MUST have the same number of atoms of each element on both sides of the arrow or yield sign. The ONLY way to do this is through multiplying by COEFFICIENTS. Remember that coefficients multiply through to every element in the compound!

Balance these equations below:

12.
$$2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(SO}_4)_3 \text{ (s)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{SO}_4 \text{ (aq)} \rightarrow Al_2 \text{(so)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{ (aq)} \rightarrow Al_2 \text{ (so)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{ (aq)} \rightarrow Al_2 \text{ (so)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{ (aq)} \rightarrow Al_2 \text{ (so)} + 6 \text{ NaCl (aq)}$
 $2 \text{ AlCl}_3 \text{ (aq)} + 3 \text{ Na}_2 \text{ (aq)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (aq)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow Al_2 \text{ (so)}$
 $2 \text{ AlCl}_3 \text{ (so)} \rightarrow AlCl$
 $2 \text{ (so)} \rightarrow AlCl$
 $2 \text{ (so)} \rightarrow AlCl$
 $2 \text{ (so)} \rightarrow Al$

14.
$$H_2SO_4(aq) + Fe(s) \rightarrow H_2(g) + FeSO_4(aq)$$
 already balanced SO4 I Fe I SO4 I

15.
$$C_5H_{12}(I) + \% O_2(g) \rightarrow (_6H_2O(g) + _5CO_2(g))$$

 $C_5H_{12}(I) + \% O_2(g) \rightarrow (_6H_2O(g) + _5CO_2(g))$
 $C_5H_{12}(I) + \% O_2(g) \rightarrow (_6H_2O(g) + _5CO_2(g))$
 $C_5H_{12}(I) + \% O_2(g) \rightarrow (_6H_2O(g) + _5CO_2(g))$
 $C_5H_{12}(I) + \% O_2(g) \rightarrow (_6H_2O(g) + _5CO_2(g))$

Writing Skeleton Equations – For many, this is the hardest part of this unit. Why? Simply, because you have to know how to write formulas, know which substances are reactants, know which ones are products, and all their states of matter. Then placing them in the correct order in the equation.

If you don't know how to write formulas, for you need a refresher, I STRONGLY suggest you go back to your unit 3 notes and check things out. Use the formula writing flowchart provided to you on the blog, www.mysciteacher.com. USE your brain, you can do this!

Example: Solid sodium hydroxide reacts with a solution of calcium sulfate to produce a sodium sulfate solution and a precipitate of calcium hydroxide

Reactants: sodium hydroxide (s) & calcium sulfate (aq) Products: sodium sulfate (aq) & calcium hydroxide (s)

Word Equation

Sodium hydroxide (s) + calcium sulfate (aq) \rightarrow sodium sulfate (aq) + calcium hydroxide (s)

All 4 of these substances are ionic compounds, which means we have to criss – cross ions when we write the formulas.

Writing the formulas:

Sodium hydroxide	Na ¹⁺	OH1-	becomes	NaOH
Calcium sulfate	Ca ²⁺	SO ₄ ² -	becomes	CaSO ₄
Sodium sulfate	Na ¹⁺	SO ₄ ² -	becomes	Na ₂ SO ₄
Calcium hydroxide	Ca ²⁺	OH1-	becomes	Ca(OH) ₂

Skeleton Equation

NaOH (s) + CaSO₄ (aq)
$$\rightarrow$$
 Na₂SO₄ (aq) + Ca(OH)₂ (s)

Example: A common middle school science fair experiment is to put eggs in vinegar. The reaction is: Solid calcium carbonate reacts with a solution of acetic acid to produce a solution of calcium acetate, carbon dioxide gas, and water.

Reactants:

calcium carbonate (s) and acetic acid (aq)

Products:

calcium acetate (aq), carbon dioxide (g), and water (l)

Word Equation

Calcium carbonate (s) + acetic acid (aq)
$$\rightarrow$$
 calcium acetate (aq) + carbon dioxide (g) + water (l) Ionic oxyacid ionic type III type III

Writing the Formulas

Calcium carbonate	Ca ²⁺	CO ₃ ² - beco	omes CaCO	O_3
Acetic acid	H1+	$C_2H_3O_2^{1-}$	becomes	$HC_2H_3O_2$
Calcium acetate	Ca ²⁺	$C_2H_3O_2^{1-}$	becomes	$Ca(C_2H_3O_2)_2$
Carbon dioxide	CO ₂			
Water	H ₂ O			

Skeleton Equation

$$CaCO_3(s) + HC_2H_3O_2(aq) \rightarrow Ca(C_2H_3O_2)_2(aq) + CO_2(g) + H_2O(l)$$

Try writing skeleton equations for these reactions.

22. Aqueous ammonium chloride reacts with a solution of sodium hydroxide to produce water, ammonia (nitrogen trihydride) gas, and a solution of sodium chloride.

23. Solid sodium hydroxide reacts with a phosphoric acid solution to form water and a solution of sodium phosphate.

24. When heated, solid carbon reacts with oxygen gas to form carbon monoxide gas.

25. Solid silver (I) sulfate reacts with copper metal to produce a solution of copper (II) sulfate and silver metal.

26. Ethane gas is burned in the presence of oxygen gas to produce carbon dioxide gas and water vapor.

27. Solid lead (IV) oxide decomposes into solid lead (II) oxide and oxygen gas.

$$7+2 7+2 7+00(s) + 02(g)$$

28. A solution of lithium sulfite reacts with a solution of hydrochloric acid to produce a solution of lithium chloride, water, and sulfur dioxide precipitate.

29. Solid calcium oxide and solid diphosphorous pentoxide react to form calcium phosphate solid.

 Aqueous solutions of potassium carbonate and barium chloride react to produce potassium chloride solution and a precipitate of barium carbonate.

31. Ammonia (nitrogen trihydride) gas reacts with oxygen to produce gaseous nitrogen monoxide and steam.

$$NH_3(q) + O_2(q) \rightarrow NO(q) + H_2O(q)$$

32. Solid copper in the Statue of Liberty reacted with oxygen gas in the air to create a green copper (II) oxide coating.

<u>Predicting Products</u> – based on the type of reaction and the reactants, predict the products for the reaction, write the skeleton equation and balance.

Single - Replacement

34. AlCl₃ (aq) +3Cs (s)
$$\rightarrow$$
 Al + 3 Cs Cl

35. Sn (s) + Fe(CN)₂ (aq)
$$\rightarrow$$
 no reaction

Double - Replacement

Synthesis

38.
$$H_2(g) + S(s) \rightarrow H_2S$$

39. Be (s) +
$$Cl_2 \rightarrow Be U_Z$$

Decomposition

$$402Na_{2}O(s) \rightarrow 4NO + O_{2}$$

Combustion

42.
$$C_5H_{12}(1) + O_2(g) \rightarrow 5CO_8 + GH_2O$$